BALLY GROUNDWATER CONTAMINATION SITE OUZ ADMINISTRATIVE RECORD FILE * INDEX OF DOCUMENTS

III. REMEDIAL RESPONSE PLANNING

- 1. Cost Estimates for Remedial Alternatives: Public Water Supply and Groundwater Treatment Options, Arcadis G&M Inc. P. 300001-300001.
- 2. Report: Detailed Hydrogeologic Water Resources

 Investigation Report, prepared by Arcadis G&M Inc.,
 3/06. P. 300002-301176. A February 22, 2007

 transmittal memorandum to Mr. Mitch Cron, U.S.EPA, from
 Mr. Christopher Sharpe, Arcadis G&M Inc., is attached.
- 3. Report: <u>Focused Feasibility Study</u>, <u>Bally Groundwater</u>
 <u>Contamination Site</u>, <u>Municipal Water Supply</u>, prepared by Arcadis U.S. Inc., 2/07. P. 301177-301291.
- 4. Letter to Mr. Mitch Cron, U.S. EPA, from Mr. Asuquo Effiong, Pennsylvania Dept. of Environmental Protection (PADEP), re: Applicable or Relevant and Appropriate Requirements (ARARs), 4/11/03. P. 301292-301304.
- 5. Map, Detail of Aquifer Pumping Test Discharge, 12/05. P. 301305-301305.
- 6. Letter to Mr. Mitch Cron, U.S. EPA, from Mr. Asuquo Effiong, PADEP, re: Applicable or Relevant and Appropriate Requirements (ARARs), 11/3/06. P. 301306-301312.
- 7. Letter to Ms. Chris Gahagan, Enlibra LLC, from Mr. Mitch Cron, U.S. EPA, re: Focused Feasibility Study Final Comments Letter, 11/13/06. P. 301313-301412. Related documents are attached.
- 8. Addendum to Detailed Hydrogeologic Water Resources Investigation Report, prepared by ARCADIS G&M, 12/06. P. 301413-301442. An April 30, 2007 cover letter to Mr. Thomas Fridirici, PADEP, from Mr. Christopher Sharpe, ARCADIS G&M, is attached.

Administrative Record File available 3/12/07, and 8/8/07.

- 9. Letter to Mr. Mitch Cron, U.S. EPA, from Mr. Arthur Piazza, PADEP, re: Comments on Proposed Remedial Action Plan, 2/27/07. P. 301443-301445.
- 10. Letter to Mr. James Burke, U.S. EPA, from Ms. Rachel Diamond, PADEP, re: Comments on Draft Proposed Remedial Action Plan, 3/14/07. P. 301446-301453.
- 11. Letter to Mr. Mitch Cron, U.S. EPA, from Mr. Leo Mutter, Bally Borough Council, re: Comments on Proposed Remedial Action Plan, 3/16/07. P. 301454-301472.
- 12. Electronic memorandum to Mr. Mitch Cron, U.S. EPA, from Mr. William Muszynski, Delaware River Basin Commission, re: Comments on Proposed Plan, 3/20/07. P. 301473-301476.
- 13. Letter to Mr. Mitch Cron, U.S. EPA, from Mr. Stephen Wheeler, Berks County Environmental Advisory Council, re: Comments on Proposed Remedial Action Plan, 4/11/07. P. 301477-301481. A March 25, 2007 electronic memorandum to Mr. Mitch Cron, U.S. EPA, from Stephen Wheeler, Berks County Environmental Advisory Council, regarding surface water monitoring, is attached.
- 14. Letter to Mr. Mitch Cron, U.S. EPA, from Mr. Christopher Sharpe, ARCADIS U.S. Inc., and Mr. Michael Bedard, ARCADIS U.S. Inc., re: Comments on Proposed Plan, 4/11/07. P. 301482-301492. An April 11, 2007, draft letter to Mr. Mitch Cron, U.S. EPA, from Mr. Christopher Sharpe, ARCADIS U.S. Inc., and Mr. Michael Bedard, ARCADIS U.S. Inc., regarding comments on Proposed Plan, is attached.
- 15. Amendment No.1 to the Record of Decision (ROD) at the Bally Ground Water Contamination Superfund Site, Berks County, Pennsylvania, 7/07. P. 301493-301526.
- 16. Letter to Mr. James Burke, U.S. EPA, from Ms. Rachel Diamond, PADEP, re: Record of Decision (ROD), 7/17/07. P. 301527-301530.

V. COMMUNITY INVOLVEMENT/CONGRESSIONAL CORRESPONDENCE/IMAGERY

- 1. U.S. EPA Fact Sheet: Bally Ground Water Contamination Site, entitled, "Focused Feasibility Study Nears Completion" 10/06. P. 500001-500002.
- 2. U.S. EPA Public Notice, Bally Groundwater Contamination Superfund Site, re: Superfund Program Proposed Plan, 3/07. P. 500003-500025.
- 3. Transcript of Public Meeting Minutes, Bally Groundwater Contamination Superfund Site, 3/22/07. P. 500026-500083.
- 4. Electronic memorandum to Mr. Mitch Cron, U.S. EPA, re: Bally public comment, 4/3/07. P. 500084-500085.
- 5. Electronic memorandum to Mr. Mitch Cron, U.S. EPA, from Ms. Alicia Walls, U.S. EPA, re: Comments on 3/22 public meeting, 3/23/07. P. 500086-500096.